

CALIFORNIA PRISON INDUSTRY AUTHORITY

Safety Data Sheet

Dish All Liquid

SECTION 1: Identification

GHS Product identifier

Product name Dish All Liquid

Product number 152900.0000

Recommended use of the chemical and restrictions on use

Dish Detergent Concentrate.

Supplier's details

Name California Prison Industry Authority

Address CSP-Los Angeles County

44750 60th Street West Lancaster, CA 93536

USA

Telephone (661) 729-2000 Ext. #7930

Emergency phone number

1 (800) 424-9300

SECTION 2: Hazard identification

Classification of the substance or mixture

GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

- Eye damage/irritation, Cat. 1
- Skin corrosion/irritation, Cat. 1B
- Corrosive to metals, Cat. 1

GHS label elements, including precautionary statements

Pictograms



Signal word Danger

Hazard statement(s)

H290 May be corrosive to metals

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

Precautionary statement(s)

P234 Keep only in original container.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

Dish All Liquid

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses if present and easy to do. Continue rinsing.

P310 Immediately call a poison center or doctor.
P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material-damage.

P405 Store locked up.

P406 Store in a corrosive resistant container with a resistant inner liner.

P501 Dispose of contents/container in accordance with applicable regional.

national and local laws and regulations.

SECTION 3: Composition/information on ingredients

Mixtures

Components

1. Sodium hydroxide

Concentration 5 - 10 % (weight) CAS no. 1310-73-2

2. Pentasodium aminotrimethylene phosphonate

Concentration 1 - 5 % (weight) CAS no. 2235-43-0

Trade secret statement (OSHA 1910.1200(i))

*The specific chemical identities and/or actual concentrations or actual concentration ranges for one or more listed components are being withheld as trade secrets under the US regulation 29 CFR 1910.1200(i).

SECTION 4: First-aid measures

Description of necessary first-aid measures

General advice Consult a physician. Show this safety data sheet to the doctor in

attendance. Move out of dangerous area.

If inhaled Remove person to fresh air and keep comfortable for breathing. Call a

poison center or doctor if you feel unwell.

Acute and delayed symptoms and effects: May cause respiratory irritation. Signs/symptoms may include burning pain in the nose and throat, coughing, wheezing, shortness of breath and pulmonary

edema.

In case of skin contact

Take off immediately all contaminated clothing. Rinse skin with

water/shower for at least 15 minutes. Call a poison center or doctor if

irritation develops or persists.

Dish All Liquid

Acute and delayed symptoms and effects: Causes severe skin burns. Signs/symptoms may include localized redness, swelling, itching, intense pain, blistering, ulceration, and tissue destruction.

In case of eye contact

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.

Acute and delayed symptoms and effects: Causes serious eye damage. Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision

If swallowed

Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Indication of immediate medical attention and special treatment needed, if necessary No data available.

SECTION 5: Fire-fighting measures

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards arising from the chemical

Oxides of phosphorus. Oxides of carbon.

Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear respiratory protection if necessary. Do not breathe mist/vapors/spray. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

Environmental precautions

Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13, Disposal Considerations, for additional information.

Methods and materials for containment and cleaning up

Stop leak if you can do it without risk. Sweep up and shovel into suitable containers for disposal.

Dish All Liquid

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Do not swallow. Do not breathe mist, vapors, or spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. See Section 8 for information on Personal Protective Equipment

Conditions for safe storage, including any incompatibilities

Store locked up. Store in a corrosive resistant container with a resistant inner liner. Ensure container is Store away from incompatible materials. See Section 10 for information on Incompatible Materials. Keep out of the reach of children.

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

Control parameters

CAS: 1310-73-2

Sodium hydroxide

Cal/OSHA (US): (C) 2 mg/m3 PEL inhalation; NIOSH (US): (C) 2 mg/m3 REL inhalation; US/OSHA (US):

2 mg/m3 PEL inhalation

Appropriate engineering controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, gas, etc.) below recommended exposure limits.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Tightly fitting safety goggles. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Ensure that eyewash stations and/or safety showers are close to the workstation location if working with concentrated product.

Skin protection

Wear chemical-protective gloves. Consult manufacturer specifications for further information. Inspect gloves prior to use and dispose or change if they become contaminated or damaged.

Body protection

Wear protective clothing. Clothing with full length sleeves and pants should be worn. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Not required under normal use conditions. Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Thermal hazards

No data available.

SECTION 9: Physical and chemical properties

Appearance (physical state, color, etc.)

Light peach liquid

Odor Distinct.

Odor threshold No data available.

pH 13.0-14.0

Melting point/freezing point
Initial boiling point and boiling range
Flash point
Evaporation rate
Flammability (solid, gas)
Upper/lower flammability or explosive limits

No data available.

Upper/lower flammability or explosive limits

Vapor pressure

Vapor density

No data available.

No data available.

No data available.

Relative density 1.11-1.16

Solubility(ies)

Partition coefficient: n-octanol/water

Auto-ignition temperature

Decomposition temperature

Viscosity

Explosive properties

Oxidizing properties

No data available.

SECTION 10: Stability and reactivity

Reactivity

Stable under recommended storage conditions.

Chemical stability

Stable under normal storage conditions.

Possibility of hazardous reactions

No data available.

Conditions to avoid

Heat, flames and sparks. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials

Sodium hydroxide is incompatible with strong oxidizing agents and strong acids.

Hazardous decomposition products

No data available.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Inhalation: May cause respiratory irritation. Signs/symptoms may include burning pain in the nose and throat, coughing, wheezing, shortness of breath and pulmonary edema.

Ingestion: Causes burns to nose, mouth, throat, and digestive tract. Signs/symptoms may include severe mouth, throat and abdominal pain, nausea, vomiting, and diarrhea, blood in the feces and/or vomitus may also be seen.

Dish All Liquid

Causes severe skin burns. Signs/symptoms may include localized redness, swelling, itching, intense pain, blistering, ulceration, and tissue destruction.

Serious eye damage/irritation

Causes serious eye damage. Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

Respiratory or skin sensitization

No data available.

Germ cell mutagenicity

No data available.

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available.

Specific target organ toxicity (STOT) - single exposure

No data available.

Specific target organ toxicity (STOT) - repeated exposure

No data available.

Aspiration hazard

No data available.

SECTION 12: Ecological information

Toxicity

No data available on product

Components:

Sodium hydroxide

LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h

LC50 - Oncorhynchus mykiss (rainbow trout) - 45.4 mg/l - 96 h

EC50 - Daphnia magna (water flea) - 40.38 mg/l - 48 h

LC50 - Poecilia reticulata (guppy) - 196 mg/l - 96 h

Persistence and degradability

No data available on product

Bioaccumulative potential

No data available on product

Mobility in soil

No data available.

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Version 1.3, Date of issue: 2024-07-23, p. 6 of 8

Dish All Liquid

Other adverse effects

No data available.

SECTION 13: Disposal considerations

Disposal methods

Product disposal

Disposal should be in accordance with applicable Federal, State and local laws and regulations. Local regulations may be more stringent than State or Federal requirements.

Packaging disposal

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN Number: UN1760

Class: 8

Packing Group: II

Proper Shipping Name: Corrosive liquids, n.o.s. (contains Sodium hydroxide)

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

Chemical name: Sodium hydroxide

CAS number: 1310-73-2

Pennsylvania Right To Know Components

Chemical name: Sodium hydroxide

CAS number: 1310-73-2

New Jersey Right To Know Components Common name: SODIUM HYDROXIDE

CAS number: 1310-73-2

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

California Cleaning Product Right to Know Act of 2017 (SB 258)

Chemical Name	CAS Number	Function
Sodium hydroxide	1310-73-2	Builder and pH
Pentasodium aminotrimethylene	2235-43-0	Stabilizer
phosphonate		

SECTION 16: Other information

Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall California Prison Industry Authority be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if California Prison Industry Authority has been advised of the possibility of such damages.