

CALIFORNIA PRISON INDUSTRY AUTHORITY

Safety Data Sheet Ultimate Laundry III

SECTION 1: Identification			
GHS Product identifier			
Product name	Ultimate Laundry III		
Product number	152800.0000		
Recommended use of the chemical and restrictions on use Laundry Detergent			
Supplier's details			
Name Address	California Prison Industry Authority CSP-Los Angeles County 44750 60th Street West Lancaster CA 93536 USA		
Telephone	(661) 729-2000 Ext. #7930		
Emergency phone number			
	1 (800) 424-9300		
SECTION 2: Hazard identification			
Classification of the substance or mixture			
GHS classification in accordance with: OSHA (29 CFR 1910.1200)			

- Eye damage/irritation, Cat. 1

- Skin corrosion/irritation, Cat. 1B

GHS label elements, including precautionary statements

Pictograms

Γ



Danger

Signal word

Hazard statement(s) H314 H318

Precautionary statement(s) P260 P264 Causes severe skin burns and eye damage Causes serious eye damage

Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling.

Safety Data Sheet	Ultimate Laundry III
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P310	Immediately call a poison center or doctor.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with applicable regional, national and local laws and regulations.

SECTION 3: Composition/information on ingredients

Mixtures

Hazardous components	
1. Alkylbenzene Sulfonic Acid Concentration CAS no.	5 - 10 % (weight)* 68584-22-5
2. Sodium laureth sulfate Concentration CAS no.	3 - 8 % (weight)* 9004-82-4
3. Alcohols, C6-12, ethoxylated Concentration CAS no.	1 - 5 % (weight)* 68439-45-2
4. Ethanolamine Concentration CAS no.	0.5 - > 1.5 % (weight)* 141-43-5
5. DMDM Hydantoin Concentration CAS no.	0.1 - 1 % (weight)* 6440-58-0

Trade secret statement (OSHA 1910.1200(i))

*The specific chemical identities and/or actual concentrations or actual concentration ranges for one or more listed components are being withheld as trade secrets under the US regulation 29 CFR 1910.1200(i).

SECTION 4: First-aid measures

Description of necessary first-aid measures

General advice	In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).
If inhaled	Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell.

Safety Data Sheet	Ultimate Laundry III
	Acute and delayed symptoms and effects: May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.
In case of skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower for at least 15 minutes. Call a poison center or doctor if irritation develops or persists. Wash contaminated clothing before reuse.
	Acute and delayed symptoms and effects: Causes severe skin burns. Signs/symptoms may include localized redness, swelling, itching, intense pain, blistering, ulceration, and tissue destruction.
In case of eye contact	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.
	Acute and delayed symptoms and effects: Causes serious eye damage. Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.
If swallowed	Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Never give anything by mouth to an unconscious person.
	Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea

Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Indication of immediate medical attention and special treatment needed, if necessary No data available.

SECTION 5: Fire-fighting measures

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards arising from the chemical

Carbon oxides, Sulphur oxides, Sodium oxides, Nitrogen oxides (NOx).

Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear respiratory protection if necessary. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

Environmental precautions

Do not let concentrated product enter drains.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of in accordance with local and national regulations. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Do not swallow. Avoid breathing vapors, mist or gas. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. See Section 8 for information on Personal Protective Equipment.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Store between the following temperatures: 40 and 120 Fahrenheit and out of direct sunlight and away from incompatible materials. See Section 10 for information on Incompatible Materials. Keep out of reach of children.

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

Control parameters

CAS: 141-43-5

Ethanolamine

Cal/OSHA (US): 3 ppm, (ST) 6 ppm PEL inhalation; NIOSH (US): 3 ppm, (ST) 6 ppm REL inhalation; US/OSHA (US): 3 ppm PEL inhalation; 6 mg/m3 PEL inhalation

Appropriate engineering controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, gas, etc.) below recommended exposure limits.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Tightly fitting safety goggles. Use equipment for eye protection that meets the standards referenced by OSHA regulations in 29 CFR 1910.133 for Personal Protective Equipment. Ensure that eyewash stations and/or safety showers are close to the workstation location if working with concentrated product.

Skin protection

Wear protective gloves (rubber, chemical resistant). Consult manufacturer specifications for further information.

Safety Data Sheet

Body protection

Wear protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

If engineering controls and ventilation are not sufficient to control exposure to below the allowable limits then an appropriate NIOSH/MSHA approved air-purifying respirator with particulate filter, or self-contained breathing apparatus must be used. Supplied air breathing apparatus must be used when oxygen concentrations are low or if airborne concentrations exceed the limits of the air-purifying respirators.

Thermal hazards

No data available.

Environmental exposure controls

Do not let concentrated product enter drains.

SECTION 9: Physical and chemical properties

Appearance (physical state, color, etc.) Odor Odor threshold bН Melting point/freezing point Initial boiling point and boiling range Flash point Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapor pressure Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition temperature Viscosity Explosive properties Oxidizing properties

Teal/Blue liquid Fresh linen No data available. 8.5 - 9.5 No data available. 98 - 102 °C, 210 - 216 °F > 93 °C, > 200 °F No data available. No data available. No data available. 18 - 21 mm Ha. No data available. 1.02 - 1.04 @ 25 °C, 77 °F Soluble in water No data available. No data available. No data available. 250 cSt No data available. No data available.

SECTION 10: Stability and reactivity

Reactivity

Stable under recommended storage conditions.

Chemical stability

Stable under normal storage conditions.

Possibility of hazardous reactions

No data available.

Conditions to avoid Incompatible products.

Incompatible materials

Strong oxidizing agents and strong acids

Safety Data Sheet

Hazardous decomposition products

No data available.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion.

Product:

ATE (oral) of mixture: 3600 mg/kg ATE (dermal): could not calculate ATE (inhalation, gaseous): could not calculate

Component Toxicity:

Alkylbenzene Sulfonic Acid LD50 Skin - Rabbit - 2,000 mg/kg LD50 Oral - Rat - 775 mg/kg

Ethanolamine LD50 Oral - Rat - 1,089 mg/kg LD50 Skin - Rat - 1,015 mg/kg

Sodium laureth sulfate LD50 Oral - Rat - 1,600 mg/kg

Inhalation: May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Ingestion: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Skin corrosion/irritation

Causes severe skin burns. Signs/symptoms may include localized redness, swelling, itching, intense pain, blistering, ulceration, and tissue destruction.

Serious eye damage/irritation

Causes serious eye damage. Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

Respiratory or skin sensitization

No data available.

Germ cell mutagenicity

No data available.

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available.

Specific target organ toxicity (STOT) - single exposure No data available.

Specific target organ toxicity (STOT) - repeated exposure No data available.

Aspiration hazard

No data available.

SECTION 12: Ecological information

Toxicity

No data available on product

Components: Alkylbenzene Sulfonic Acid LC50 - Oncorhynchus mykiss (rainbow trout) - 3 mg/l - 96 h

Ethanolamine LC50 - Cyprinus carpio (Carp) - 150 mg/l - 96 h EC50 - Daphnia magna (water flea) - 65 mg/l - 48 h EC50 - Selenastrum capricornutum (green algae) - 2.8 mg/l - 72 h EC50 - Pseudomonas putida - 110 mg/l - 17 h

Persistence and degradability

No data available.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

SECTION 13: Disposal considerations

Disposal methods

Product disposal

Disposal should be in accordance with applicable Federal, State and local laws and regulations. Local regulations may be more stringent than State or Federal requirements.

Packaging disposal

Dispose of as unused product.

SECTION 14: Transport information

DOT (US) Not regulated

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

Common name: ETHANOLAMINE CAS number: 141-43-5

Pennsylvania Right To Know Components

Common name: ETHANOLAMINE CAS number: 141-43-5

New Jersey Right To Know Components

Common name: ETHANOLAMINE CAS number: 141-43-5

California Prop. 65 Components

WARNING: This product can expose you to chemicals including Ethylene Oxide (< 10ppm), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <u>www.P65Warnings.ca.gov</u>.

WARNING: This product can expose you to chemicals including Diethanolamine and 1,4-Dioxane (< 10 ppm) and Formaldehyde (<50 ppm), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov..

California Cleaning Product Right to Know Act of 2017 (SB 258)

Chemical Name	CAS Number	Function
Alkylbenzene Sulfonic Acid	68584-22-5	Surfactant
Sodium laureth sulfate	9004-82-4	Surfactant
Alcohols, C6-12, ethoxylated	68439-45-2	Surfactant
Ethanolamine	141-43-5	Thickening
Butylphenyl methylpropional	80-54-6	Fragrance chemical
DMDM Hydantoin	6440-58-0	Biocide

SECTION 16: Other information

Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall California Prison Industry Authority be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if California Prison Industry Authority has been advised of the possibility of such damages.